
iTerm2

University of Utah February 15, 2023


George Nachman


OVERVIEW

- The origin story.
- A look at under-appreciated features of the current version.
- What's coming next?
- Q&A



ORIGIN STORY





© Vernier Software & Technology

UNDER-APPRECIATED FEATURES

COMPOSER

Edit a command before sending it

Filename completion

Direct access to history

•	SQLite	r
0_iterm2_daemon_1_cocket-	8 log 1 tyt	
SELECT g.* FROM 'Group' g LEFT JOIN 'User' u ON u.group = g.name AND u.id g.ownerid WHERE u.id IS NULL		×
		Press
c://Jsers/gnachman/Library/Application Su c://Jsers/gnachman/Library/Application Su Lite version 3.39.5 2022-10-14 20:58:05 ter ".help" for usage hints. Lite> ∎	pport/iTerm2% sqlite3 ShellHistory.sqlite	
•	iTerm2	Z
· · ·	Tierinz	· · · · · · · · · · · · · · · · · · ·
c //lsors/anachman% cd ~/Library/Application\ Support		×
		Press ው-Return to send command. Press ውജ; for history.
?		Press �-Return to send command. Press �¥; for history.
3	iTerm2	
•••	iTerm2	
	iTerm2	
c://leare/anachmans. [] git		Ţ
c; //leare/machmant. ∏ git git stash	Moments ago	Υ. Υ
c; //sars/machmant. П git (git stash git commit -a	Moments ago Moments ago	Υ. Υ
c; //leare/machmant. ∏ git git stash	Moments ago	r ×
git git git commit -a git log	Moments ago Moments ago	Ţ
git git git commit -a git log	Moments ago Moments ago	r ×


SNIPPETS

Save text to use again later.

• • •	-tcsh			ጊ 第1
Mac:/Users/gnachman%		×	Snippets	
			and run tests — mak o production — ssh	
		Fusit		examp
				/

OPEN QUICKLY


Quick access to many actions



PYTHON API

Automate iTerm2 and add new behaviors using Python

- Develop custom status bar components
- Automatically change colors for different SSH hosts
- Add custom control sequences
- Custom tab navigation
- Automate actions like "sum numbers in selection"



What's Coming Next?

MORE THROUGHPUT

A new threading model.

Before: terminal state modified on UI thread

After: terminal state modified in background thread and synced to UI thread periodically



FILTERING

Reveal only lines that contain a search query

				- 227×40	~ #1
023-02-14 21:53:08.865496-0800 0x293049	Debug	0×0	54059 0	iTerm2: (LaunchServices) [com.apple.launchservices:binding] +++ iTerm2 on / (B:0x8504, C:0x0) (pull	- IE
023-02-14 21:53:08.865531-0800 0x293049	Debug	0×0	54059 0	iTerm2: (LaunchServices) [com.apple.launchservices.binding] +++ iTerm on / (B:0x8550, C:0x0) (n) (I
023-02-14 21:53:08.865544-0800 0×293049	Debug	0×0	54059 0	The main (Launchservices) [com.apple. Launchservices.binding] +++ iTerm on / (B.0x8554, C.0x0) (in Q_{γ} error 3 \otimes < > ×	
023-02-14 21:53:08.865554-0800 0x293049	Debug	0×0	54059 0	iTerm2: (LaunchServices) [com.apple.launchservices:binding] +++ iTerm2 on / (B:0x85e8, C:0x0) (
023-02-14 21:53:08.865564-0800 0×293049	Debug	0×0	54059 0	iTerm2: (LaunchServices) [com.apple.launchservices:binding] +++ iTerm2 on / (B:0x8658, C:0x0) ((🕞 iterm 🛛 😵	
023-02-14 21:53:08.865586-0800 0×293049	Debug	0×0	54059 0	iTerm2: (LaunchServices) [com.apple.launchservices:binding] +++ iTerm on / (B:0x8760, C:0x0) (n	
023-02-14 21:53:08.865597-0800 0x293049	Debug	0×0	54059 0	iTerm2: (LaunchServices) [com.apple.launchservices:binding] +++ iTerm2 on / (B:0x8788, C:0x0) (null)	
023-02-14 21:53:08.865607-0800 0×293049	Debug	0×0	54059 0	iTerm2: (LaunchServices) [com.apple.launchservices:binding] +++ iTerm2 on / (B:0x89f8, C:0x0) (null)	
023-02-14 21:53:08.865626-0800 0x293049	Debug	0×0	54059 0	iTerm2: (LaunchServices) [com.apple.launchservices:binding] +++ iTerm2 on / (B:0x8a28, C:0x0) (null)	
023-02-14 21:53:08.865641-0800 0x293049	Debug	0×0	54059 0	iTerm2: (LaunchServices) [com.apple.launchservices:binding] +++ iterm.app on / (B:0x8b60, C:0x0) (null)	
023-02-14 21:53:08.865650-0800 0x293049	Debug	0×0	54059 0	iTerm2: (LaunchServices) [com.apple.launchservices:binding] +++ iterm.app on / (B:0x8ec8, C:0x0) (null)	
023-02-14 21:53:08.865663-0800 0x293049	Debug	0×0	54059 0	iTerm2: (LaunchServices) [com.apple.launchservices:binding] +++ iTerm2 on / (B:0x95ec, C:0x0) (null)	
023-02-14 21:53:08.865681-0800 0x293049	Debug	0×0	54059 0	iTerm2: (LaunchServices) [com.apple.launchservices:binding] +++ iTerm2 on / (B:0x96f4, C:0x0) (null)	
023-02-14 21:53:08.865691-0800 0x293049	Debug	0×0	54059 0	iTerm2: (LaunchServices) [com.apple.launchservices:binding] +++ iTerm2 on / (B:0x9884, C:0x0) (null)	
023-02-14 21:53:08.865700-0800 0x293049	Debug	0×0	54059 0	iTerm2: (LaunchServices) [com.apple.launchservices:binding] +++ iTerm2 on / (B:0x98f8, C:0x0) (null)	
023-02-14 21:53:08.865725-0800 0x293049	Debug	0×0	54059 0	iTerm2: (LaunchServices) [com.apple.launchservices:binding] +++ iTerm2 on / (B:0x9978, C:0x0) (null)	
023-02-14 21:53:08.865736-0800 0x293049	Debug	0×0	54059 0	iTerm2: (LaunchServices) [com.apple.launchservices:binding] +++ iTerm2 on / (B:0x9998, C:0x0) (null)	
023-02-14 21:53:08.865753-0800 0x293049	Debug	0×0	54059 0	iTerm2: (LaunchServices) [com.apple.launchservices:binding] +++ iTerm2 on / (B:0xa1d4, C:0x0) (null)	
023-02-14 21:53:08.865761-0800 0x293049	Debug	0×0	54059 0	iTerm2: (LaunchServices) [com.apple.launchservices:binding] 42 bindings found	
023-02-14 21:53:08.865805-0800 0x293049	Debug	0×0	54059 0	iTerm2: (LaunchServices) [com.apple.launchservices.binding] Skipping xcode-select matching due to options	
023-02-14 21:53:08.865812-0800 0x293049	Debug	0×0	54059 0	iTerm2: (LaunchServices) [com.apple.launchservices:binding] Truncating a list of bindings to max 1 known-good ones.	
023-02-14 21:53:08.865827-0800 0x293049	Debug	0×0	54059 0	iTerm2: (LaunchServices) [com.apple.launchservices:binding] +++ iTerm2 on / (B:0x7e78, C:0x0) (null)	
023-02-14 21:53:08.865833-0800 0x293049	Debug	0×0	54059 0	iTerm2: (LaunchServices) [com.apple.launchservices:binding] Best binding found for evaluator 0x16b74d748: <private></private>	
023-02-14 21:53:08.865862-0800 0x293049	Debug	0×0	54059 0	iTerm2: (LaunchServices) [com.apple.launchservices.binding] BindingEvaluator::~BindingEvaluator(0x16b74d438)	
023-02-14 21:53:08.865876-0800 0x293049	Debug	0×0	54059 0	iTerm2: (LaunchServices) [com.apple.launchservices:binding] BindingEvaluator::~BindingEvaluator(0x16b74d748)	
023-02-14 21:53:08.865896-0800 0×293049	Debug	0×0	54059 0	<pre>iTerm2: (LaunchServices) [com.apple.launchservices:error] Constructing NSError NSOSStatusErrorDomain/-10813 at LSBundleGetDisplayName</pre>	eFor№
eWithUnregisteredBundleType:1996					
023-02-14 21:53:08.866058-0800 0x293049	Debug	0×0	54059 0	iTerm2: (CoreFoundation) [com.apple.CFBundle:resources] Resource lookup at <private></private>	
023-02-14 21:53:08.867085-0800 0x293049	Debug	0×0	54059 0	iTerm2: (CoreFoundation) [com.apple.CFBundle:resources] Resource lookup at <private></private>	
023-02-14 21:53:08.867102-0800 0x293049	Debug	0×0	54059 0	iTerm2: (CoreFoundation) [com.apple.CFBundle resources] Resource lookup at <private></private>	
023-02-14 21:53:08.867176-0800 0×293049	Debug	0×0	54059 0	iTerm2: (CoreFoundation) [com.apple.CFBundle:strings] Bundle: <private>, key: No Services Apply, value: , table: Services, localizatio</private>	.onNar
(null), result: No Services Apply	-				
023-02-14 21:53:08.867206-0800 0x293049	Debug	0×0	54059 0	iTerm2: (CoreFoundation) [com.apple.CFBundle:strings] Lazy cache miss for bundle: <private> key: Services Settings\U2026 table: Service</private>	ces
023-02-14 21:53:08.867224-0800 0x293049	Debug	0×0	54059 0	iTerm2: (CoreFoundation) [com.apple.CFBundle:strings] Bundle: <private>, key: Services Settings\U2026, value: , table: Services, local</private>	
nName: (null), result: Services Settings.					
023-02-14 21:53:08.867513-0800 0x293049	Debug	0×0	54059 0	iTerm2: (CoreFoundation) [com.apple.defaults:User Defaults] found no value for key LanguageAgnosticKeyBindings in CFPrefsSearchListSou	urce<
600002b21b00> (Domain: com.googlecode.ite	erm2, Čontai	ner: (null))			
023-02-14 21:53:08.867591-0800 0x293049		0×0	54059 0	iTerm2: (CoreFoundation) [com.apple.defaults:User Defaults] found no value for key LanguageAgnosticKeyBindings in CFPrefsSearchListSou	urce<
600002b21b00> (Domain: com.googlecode.ite		ner: (null))		· · · · · · · · · · · · · · · · · · ·	

NATIVE RENDERING

Native rendering for markdown, code, and more

• • •	-tcsh	て第1			-tcsh	\\%1
Mac:/Users/gnachman/git/iterm2-alt2%	% cat CODE_OF_CONDUCT.md		-	[[[NSWorkspace_shared]	name:PSMIabUragUIdBegInNotITICation object:nil; Workspace] notificationCenter] add0bserver:self	
Contributor Covenant Coo	de of Conduct	Wide Markdown 🕃 🛞			<pre>selector:@selector(activeSpaceDidCha name:NSWorkspaceActiveSpaceDidCh object:nil];</pre>	nge:) angeNotification
Our Pledge In the interest of fostering an open and welcom contributors and maintainers pledge to making our community a harassment-free experience is, glevel of experience, education, socio-economic appearance, race, religion, or sexual identity an Our Standards Examples of behavior that contributes to creat include: Using welcoming and inclusive language Baing respectful of differing viewpoints a Gracefully accepting constructive criticis Focusing on what is best for the commur Showing empathy towards other commur Examples of unacceptable behavior top particip The use of sexualized language or image advances Toolling, insulting/derogatory comments, Dublishing others' private information, su address, without explicit permission Others.	participation in our project and for everyone, regardless of age, body ender identity and expression, c status, nationality, personal nd orientation. ing a positive environment and experiences sm nity nity members bants include: ry and unwelcome sexual attention or and personal or political attacks uch as a physical or electronic			<pre>number_ = [[ITermCont [_scope setValue@(nur // Update the collect self.hotkeyWindowType _wellFormed = YES; [[self window] setResi [[self window] setResi self.terminalGuid = [] if (@available(macOS :</pre>	<pre>nited"); d = YE5; TermProfilePreferences boolForKey:KEY_INITIAL_USE_TRANSPARENCY inProfi mebr_ + 1) forVariableNamed:@"number"]; imbehavior. : = hotkeyWindowType; torationClass: [PseudoTerminalRestorer class]]; NSString stringWithFormat:@"pty-%@", [NSString uuid]]; 10.14, *)) { respondsToSelector:@selector(addTitlebarAccessoryViewController:)] && dSettingSModel useShortcutAccessoryViewController]) { ssoryViewController = ndowShortcutLabeTitlebarAccessoryViewController]) { ssoryViewControllerToTitleBarIfNeeded]; yViewControllerToTitleBarIfNeeded]; yViewController.ordinal = number_ + 1; w with profile:%@", profile); [INSThread callStacKSymbols]); seudoTerminal expurgatedInitialProfile:profile] retain]; rences boolForKey:KEY_USE_CUSTOM_WINDOW_TITLE inProfile:profile] { le = [ITermProfilePreferences stringForKey:KEY_CUSTOM_WINDOW_TITLE inProfile:NewTaiableKee ViewCortrolLer ? worride : @" " forVariableNamed:iTermVariableKee ViewCortrolLengt ? voerride : @" " forVariableNamed:iTermVariableKee ViewCo</pre>	e:@"iTermWindowShortcutAcce e:[NSBundle bundleForClass: ofile:profile];; ;yWindowTitleOverrideFormat]
Our Responsibilities				[[NSNotificationCenter	r defaultCenter] postNotificationName:kTerminalWindowControllerWasCrea	tedNotification object:self

PASSWORD MANAGER

Integration with 1Password and LastPass

	-tcsh		₹#1
ac:/Users/gnachman% []			
Q Account Name			••
Account Name	User Name	Password	Require Authentication to Open Password Mana
			Require Authentication after Screen Locks
LA ANA ENVIRONMENTAL		•••••	✓ Probe Before Sending Password
il.Na			-
Residue to the period of the time		•••••	✓ macOS Keychain
TWO TE SATISFY LARGE			1Password Integration
A MARINE AND A MARINE		•••••	LastPass Integration
6N			
generation. The market life in respects		•••••	Reload Items
M IS	197 Y		
Address of the second sec		•••••	
Lette ball, et and a			
Rev 44.0 MeV press and set of a first fit.		•••••	
teste Ma			
+ - Edit Password 2-Factor Code Broadca	ast (#B) Close	Enter User Name Enter	r Password

COMPOSER ENHANCEMENTS

Search & replace and multiple cursors

• • •			Mac		Σ.
ast <u>AcianWidth tyt e0h6</u> all_ ousi Q~ txt	+++	laten	cies tyt	testrase tyt	X X Done Replace
comr				•	
rm grid.txt \					
<pre>latencies.txt \ 3 log-958580970.txt \ </pre>					
3 log.txt \					
3/ mylog.txt \					
<pre>3 notes.txt* \ 3 notest.txt \</pre>					
prologue.txt \					
30 resume.txt \					
sample.txt \					
15 testfile.txt V					
352					
130					
35 🕐 🗟 Engage Artificial Intellige	ence				Press ☆↩ to send command.
112 -rw-rr 1 gnachman	staff		17:08 good.txt		Press ☆↩ to send command.
112 -rw-rr 1 gnachman 8 -rw-rr 1 gnachman	staff staff	26 Aug 17	2020 grid.txt		Press ↔ to send command.
112 -rw-rr 1 gnachman 8 -rw-rr 1 gnachman 8 -rw-rr 1 gnachman 8 -rw-rr 1 gnachman	staff staff staff	26 Aug 17 175 Jun 10	2020 grid.txt 2020 latencies.txt		Press ↔↔ to send command.
112 -rw-rr 1 gnachman 8 -rw-rr 1 gnachman 8 -rw-rr 1 gnachman 16 -rw-rr@ 1 gnachman	staff staff staff staff	26 Aug 17 175 Jun 10 4104 Sep 26	2020 grid.txt 2020 latencies.txt 2020 log-958580970		Press 쇼나 to send command.
112 -rw-rr 1 gnachman 8 -rw-rr 1 gnachman 8 -rw-rr 1 gnachman 8 -rw-rr 1 gnachman	staff staff staff staff staff staff	26 Aug 17 175 Jun 10	2020 grid.txt 2020 latencies.txt		Press ↔ to send command.
112 -rw-rr 1 gnachman 8 -rw-rr 1 gnachman 8 -rw-rr 1 gnachman 16 -rw-rr 1 gnachman 64 -rw-rr@ 1 gnachman 32 -rw-rr 1 gnachman 8 -rwxrwxrwx0 gnachman	staff staff staff staff staff staff staff	26 Aug 17 175 Jun 10 4104 Sep 26 29782 May 2 15146 May 25 1268 Feb 10	2020 grid.txt 2020 latencies.txt 2020 log-958580970 2022 log.txt 2022 mylog.txt 11:47 notes.txt*		Press &+> to send command.
() (g) engage Authoran meange 112 - rw-r-r-r- 1 gnachman 8 - rw-r-r-r- 1 gnachman 16 - rw-r-r 0 1 gnachman 64 - rw-r-r 0 1 gnachman 32 - rw-r-r-r- 1 gnachman 8 - rwxrwxrwx 0 1 gnachman 8 - rwxr-r-r-r- 1 gnachman	staff staff staff staff staff staff staff staff	26 Aug 17 175 Jun 10 4104 Sep 26 29782 May 2 15146 May 25 1268 Feb 10 1400 Aug 8	2020 grid.txt 2020 latencies.txt 2020 log-958580970 2022 log.txt 2022 mylog.txt 11:47 notes.txt* 2020 notest.txt		Press ↔+ ³ to send command.
Ill crw-re-re- 1 gnachman 8 -rw-re-re- 1 gnachman 8 -rw-re-re- 1 gnachman 8 -rw-re-re- 1 gnachman 64 -rw-re-re-@ 1 gnachman 52 -rw-re-re-@ 1 gnachman 32 -rw-re-re-@ 1 gnachman 8 -rw-re-re-@ 1 gnachman 8 -rw-re-re-@ 1 gnachman 8 -rw-re-re-@ 1 gnachman 8 -rw-re-re-@ 1 gnachman	staff staff staff staff staff staff staff staff staff	26 Aug 17 175 Jun 10 4104 Sep 26 29782 May 2 15146 May 25 1268 Feb 10 1400 Aug 8 5507 Jun 18	2020 grid.txt 2020 latencies.txt 2020 log-958580970 2022 log.txt 2022 mylog.txt 11:47 notes.txt* 2020 notest.txt 2021 prologue.txt		Press ↔ ² to send command.
() (g) engage Authoran meange 112 - rw-r-r-r- 1 gnachman 8 - rw-r-r-r- 1 gnachman 16 - rw-r-r 0 1 gnachman 64 - rw-r-r 0 1 gnachman 32 - rw-r-r-r- 1 gnachman 8 - rwxrwxrwx 0 1 gnachman 8 - rwxr-r-r-r- 1 gnachman	staff staff staff staff staff staff staff staff staff staff	26 Aug 17 175 Jun 10 4104 Sep 26 29782 May 2 15146 May 25 1268 Feb 10 1400 Aug 8	2020 grid.txt 2020 latencies.txt 2020 log-958580970 2022 log.txt 2022 mylog.txt 11:47 notes.txt* 2020 notest.txt		Press &+* to send command.
Tog engage without michanics 112 -rw-r-r-r-1 gnachman 112 -rw-r-r-r-1 gnachman 8 -rw-r-r-r-2 gnachman 16 -rw-r-r-r-2 gnachman 32 -rw-r-r-r-2 gnachman 34 -rw-r-r-r-2 gnachman 8 -rw-r-r-r-2 gnachman 8 -rw-r-r-r-2 gnachman 8 -rw-r-r-r-2 gnachman 8 -rw-r-r-r-1 gnachman 9 -rw-r-r-r-1 gnachman	staff staff staff staff staff staff staff staff staff staff staff	26 Aug 17 175 Jun 10 4104 Sep 26 29782 May 2 15146 May 25 1268 Feb 10 1400 Aug 8 5507 Jun 18 33340 Feb 6 213536 Apr 11 58 Jul 19	2020 grid.txt 2020 latencies.txt 2020 log-95858097C 2022 log.txt 2022 mylog.txt 11:47 notes.txt* 2020 notest.txt 2021 prologue.txt 2020 resume.txt 2020 sample.txt 2021 testcase.txt		Press ↔ ² to send command.
Image Engage Anthean Intering 112 -rw-r-r 1 gnachman 8 -rw-r-r 1 gnachman 8 -rw-r-r 1 gnachman 8 -rw-r-r 1 gnachman 16 -rw-r-r 1 gnachman 32 -rw-r-r 1 gnachman 32 -rw-r-r 1 gnachman 8 -rw-rwx 1 gnachman 8 -rw-r-r 1 gnachman 16 -rw-r-r 1 gnachman 16 -rw-r-r 1 gnachman 24 -rw-r-r 1 gnachman 24 -rw-r-r 1 gnachman	staff staff staff staff staff staff staff staff staff staff staff	26 Aug 17 175 Jun 10 4104 Sep 26 29782 May 2 15146 May 25 1268 Feb 10 1400 Aug 8 5507 Jun 18 3340 Feb 6 213536 Apr 11	2020 grid.txt 2020 latencies.txt 2020 log-958580970 2022 log.txt 2022 mylog.txt 11:47 notes.txt* 2020 notest.txt 2020 prologue.txt 2020 resume.txt 2020 sample.txt		Press ↔ ⁺³ to send command.

ARTIFICIAL INTELLIGENCE

Describe your command and have GPT write it for you

Mac 𝔅೫1 Mac 𝔅೫1 ● ● ●	Mac \C#1
Mac;/lleare/anachmank Ac;/lleare/anachmank	do mv "\$file" "\${file%.txt}.doc"; done

SSH INTEGRATION

More features of iTerm2 will "just work" when SSHed.

be 🕒			\ .#1
ac:/Users/gnachman% it2ssh bryan.dreamhost.com	×	Jobs	(
sh bryan.dreamhost.com			
ryan:/home/gnachman% bc c 1.07.1	Job		pid
pyright 1991-1994, 1997, 1998, 2000, 2004, 2006, 2008, 2012-2017 Free Software F Indation, Inc.	∨ -tcsh		153544
indeficit, Inc. is is free Software with ABSOLUTELY NO WARRANTY. or details type `warranty'.	bc		153712
	KILL	▶	

- Jobs tool
- Git status bar component
- Duplicate session
- File transfer without hacks
- Transfer environment variables
- Upload files
- Automatic shell integration injection

