WELCOME UNIVERSITY OF UTAH


ROCKETMAN COMMAND CENTER



YOUR HOSTS



Christopher Schasse Owner & Lead Engineer



Patrick Blackmore Director of Product & Development



ROCKETMANTECH Apple only, **Jamfonly**



MANAGING SCRIPTS IN JAMF PRO

Accidentally Copying Client Credentials Updating Scripts across Servers Fixing issues with new macOS versions Coding in Shell



LIMITATIONS OF SHELL SCRIPTS

Monolithic Code Uncompiled Code /() Lack of Libraries === 0 Lack of Industry Expertise







THE SOLUTION WE CAME UP WITH



* BUILD A BRIDGE



OUR DEVELOPMENT TEAM

A Star (patter (201) and (201)

- aller Marke ik talente selata Market ike sati teper
- attel Malatari tantariati
- Sector + 11 - Sector = 1 - 1 Sector = Sector = 1 - 1 Sector = Sector = 1

ALAN I

-

un e

and right value indicates false or no default. are -A COMFIS-([assmethed]-'nats' [shortname]-'breakglass, Admin' [fultname]-'Breakglass, Admin' [storage]-'lacal' are [local]remont=[hoth] [astatt2-'Breakglass, Admin Passmer4' [baskin]-''lach, recketman.breakglass' [hiddenadmin]-'Trus' [defaultpass]-'' [keychain]-'/Litrary/Keychains/System.keythain' [ferce]-'' as Default is false (UNE WITH CANTION) [ferce]-'' as Default is false (UNE WITH CANTION) [ferce]-'' as Default is false with default, override only as m [mam]-'' as Each methed has its own default, override only as m [mam]-'' as fach methed has its own default, override only as m [mam]-'' as fach methed has its own default, override only as m [mam]-'' as fach methed has its own default, override only as m [mam]-'' as fach methed has its own default, override only as m [mam]-'' as fach methed has its own default, override only as m [mam]-'' as fach methed has its own default, override only as m [mam]-'' as fach methed has its own default, override only as m [mam]-'' as fach methed has its own default, override only as m [mam]-'' as fach methed has its own default, override only as m [mam]-'' as fach methed has its own default, override only as m [mam]-'' as fach methed has its own default, override only as m [minupper]-1 [minupper

schimm

tion topprist (stated to Topprist "CONFIG"."/Library/Preferences/tech.recated to Topprist "CONFIG"."/Library/Preferences/tech.recated to a string and NOT the array itself

scal hashdame-\$1 as the num scal configfile-\$2 as full p

II of "S(conrightin)" 1





ONE STOP SHOP FOR JAMF ADMINS







App Setup Helper

Streamlines enabling Screen Recording



Break Glass Admin

LAPS Backdoor Admin account management



Rapid Response

Triggers scripts immediately



Rename Computer

Programmatically renames macOS computer



Secure Token Sha

Grants secure tokens to user



Self Service Email

Creates pre-filled email template



Temporary Admin

Grants user temporary admin rights



Update User Info

Performs directory lookups of the logged in user



Upload Jamf Logs

Uploads specified logs to file sharing location



Update Computer Info

Updates building and department info

User Privilege Management

Adjusts local user's roles

Reset Jamf Connect Login

Resets to the macOS Login screen











CONFIGURED THROUGH A PROFILE

EXECUTED THROUGH A POLICY





Pro

Fil

ename Oŏ			
	Computers	>	
	Devices	>	-
80	Users	>	
ţţţ	Blueprints		
\oslash	Compliance readiness		
ŝ	Settings		
			$\langle \cdot \rangle$

Settings: Computer management > Packages

Application: Rocketman Command Center

Options Limitations General

Display name Display name for the package

Application: Rocketman Command Center

Category Category to add the package to

RCC Presentation

Filename

rocketman-latest.pkg

Info Information to display to the administrator when the package is deployed or uninstalled Version 1.0.42

Notes Notes to display about the package (e.g., who built it and when it was built) Uploaded by Chris Schasse on April 16th, 2025





2	Pro		
	Computers	Computers : Configuration Profiles	
Co	Inventory	Options Scope	
	Inventory	Q Search	Preference Domain The name of the preference domair
₩ 8°	Search Inventory Search Volume Content	(i) General	tech.rocketman.tempadmin Required
\oslash	Licensed Software	Accessibility Not configured	Custom Schema Required JSON Schema to populate
ŝ	Content Management Policies	ACME Certificate	Edit schema Remove s
	Configuration Profiles		Preference Domain P Properties to configure for the prefe
	Software Updates	AD Certificate Not configured	Temporary Admin
	Restricted Software	AirPlay Not configured	Commands to provide temporary a
	Mac Apps	liter configured	Time (in min)
	Patch Management	App-To-Per-App VPN Mapping	Time (in min) for admin rights
	eBooks	Not configured	15
	Groups	Application & Custom Settings	Ask for reason If set, the user will be prompted to
	Smart Computer Groups	1 payload configured	Please state your reason for need



CONFIGURED THROUGH A PROFILE





oulate configurable properties in the Property List

ove schema

in Properties

preference domain

Form editor Plist preview

rary admin rights to standard users.

ties

ed to provide a reason they need the access, which is available in the policy log.

needing adr

°Õ	

Pro

	Computers	Computers : Policies	nin
	Inventory	Options Scope Self Service	User Inte Name of t
H1 0°	Search Inventory Search Volume Content	Contemporal Accounts O Accounts	
$\overline{\heartsuit}$	Licensed Software	Anagement Accounts Not Configured	Search F
433	Content Management Policies	Directory Bindings 0 Bindings	File to sea
	Configuration Profiles	EFI Password Not Configured	Search For Name of t
	Restricted Software Mac Apps	Restart Options Not Configured	
	Patch Management	Maintenance Not Configured	Execute Command
	eBooks	Files and Processes Configured	rocketm





eraction

the file, including the file extension. This field is case-sensitive and returns partial matches

Update "locate" database Update the "locate" database before searching for the file

For File Using Spotlight

earch for. This field is not case-sensitive and returns partial matches

For Process

the process. This field is case-sensitive and returns partial matches



Kill process if found This works with exact matches only

Command


nd to execute on computers. This command is executed as the "root" user

tman TemporaryAdmin





Grants users temporary administrative rights with limited abilities.







Temporary Admin Duration

Prompt for Reason

Remove From Static Group

ClientID & Client Secret

Upload Logs

Swift Dialog Configurations:

- Icon
- Width
- Height




Creates and manages a highly configurable LAPS Backdoor Admin account

+

×

BREAK GLASS ADMIN



										~
		☆	zm	4	C	ANNI NAME	Ď			• • •
				Full Ja	amf P	ro v			Ô	
								E	dit)
ime:	ComputerName									
nputer ID:	5									
nagement ID:	38f1b25e-4ab8-4760-af39-222582d1df70									
y Update:	1 minute ago									
า:	1 minute ago									
	45.160.89.165									
Address:	192.168.68.109									
/ersion:	11.14.1-t1740408745756									
	Мас									
	Managed									
cal Administrator						Ŀ		ť	<u>ל</u>	



History

Delete



Break Glass Admin

Configuration Options

Username & Full Name

Account Visibility

Number of Words or Characters

- Random Password Method
- Define Known Password
- Set minimum lower, upper, numbers, and special characters

Additional Features:

- 7 Different Password Methods
- Stores password securely in Keychain
- Creates Account or Changes Password
- Can force password change when password is not known








Secure Token Sharing

Grants secure tokens to users in various ways for easier FileVault management.

× +

SECURE TOKEN SHARING



								~
		\$ zm	4		Ð	₹		:
						Ļ	1 2	2
							Edit	\supset
ame:	MV21HW-SCHASTA							
nputer ID:	5							
nagement ID:	38f1b25e-4ab8-4760-af39-222582d1df70							
y Update:	Less than a minute ago							
n:	3 minutes ago							
	45.160.89.165							
Address:	192.168.68.109							
Version:	11.14.1-t1740408745756							
	Мас							
	Managed							
cal Administrator	commander (jamf binary) View accounts and passwords				() History	/	圎 Delete	ļ







Configuration Options

Secure Token Holder(s) & **Grant Secure Token(s)**

- LAPS
- Username / Password
- Prompt User

Swift Dialog Configurations:


- Title
- Text
- Icon

Additional Features

- Define Multiple Secure Token Holders
- **Define Multiple Users to Grant Secure** Tokens to
- Can pull LAPS password from Keychain or Extension Attribute

(App Setup Helper

Streamlines enabling **Screen Recording Permissions** for multiple macOS applications through a single prompt.









App Name(s)

Timeout

Swift Dialog Configurations:

- Title
- Description
- Icon
- Width
- Height


() Update User Info

Identifies and updates the correct username of the logged-in user in Jamf Pro using directory integrations


× +

UPDATE USER INFO

nventory



											~
		7	☆	zm	4	0	₽		₩		:
									41	ô	
Location										Edit)
ss:											
er:											
	Administration										
	Eau Claire										





Update User Info Configuration Options

Client ID & Client Secret

Email Domain(s)

Integration Type

Accounts to ignore



Additional Features

- Guesses hundreds of different usernames automatically
- Stops when a successful username is found
- Adds the username to the Inventory Record in Jamf Pro




Rename Computer

Programmatically renames macOS computers based on a customizable naming scheme.

× +

RENAME COMPUTER



									*
		☆	zm	4			Ď	•	:
				Full J	amf P	ro ~		Ô	
								Edit)
•									
ime:	ComputerName								
nputer ID:	5								
nagement ID:	38f1b25e-4ab8-4760-af39-222582d1df70								
	None								
y Update:	03/06/2025 04:37 PM								
ו:	5 minutes ago								
	45.160.89.165								
Address:	192.168.68.109								
/ersion:	11.14.1-t1740408745756								
	Мас								
	Managed					() Histor	·у	ີຟ lete	





Rename Computer Configuration Options

Computer Name

Uppercase, Lowercase, Title Case

Computer Record Field Paths

Additional Features


- Naming Scheme Tokens
- Local Computer Variables
- **Configuration Profile Variables**
- **Flexible Token Substitution**
- Managed Substitution



Instantly deploys Jamf Policies and simple commands

Y

RAPID RESPONSE



0 0 Sat Feb 8 8:12 PM BR \odot ਼ 2 Q

	Managed P	referen » Q	•••	orld Clock Alarms	Stopwatch T	Timers +
	Name ^	Date Modified				
3	com.appult2.plist	Today at 8:11 PM	\sim	$\sim \sim \sim$	$\cap \cap$	\sim
3	com.appCX.plist	Today at 8:11 PM))))())	() ()	
2	com.appings.plist	Today at 8:11 PM		$\Lambda J \Lambda J$		\mathcal{N}
3	com.appaver.plist	Today at 8:11 PM			\bigcirc . \bigcirc	
3	com.approw.plist	Today at 8:11 PM				
2	com.appent.plist	Today at 8:11 PM				
2	com.applicy.plist	Today at 8:11 PM		Lap No. Sp	lit	Total
3	com.apptrol.plist	Today at 8:11 PM				
2	com.applicy.plist	Today at 8:11 PM				
2	com.gooone.plist	Today at 8:11 PM				
2	com.jamogin.plist	Today at 8:11 PM				
2	com.jamnect.plist	Today at 8:11 PM				
2	com.jamtect.plist	Today at 8:11 PM				
2	com.jamager.plist	Today at 8:11 PM				
2	com.roctech.plist	Today at 8:11 PM				
>		Today at 8:11 PM				
	tech.rocency.plist	Today at 8:11 PM				
	tech.roclass.plist	Today at 8:11 PM				
	tech.roctory.plist	Today at 8:11 PM				
	tech.rochain.plist	Today at 8:11 PM				
	tech.rocsers.plist	Today at 8:11 PM		Lap	Start	
	tech.rocuser.plist	Today at 8:11 PM				_
	tech.rocame.plist	Today at 8:11 PM				
	tech.rocreen.plist	Today at 8:11 PM				
	tech.roctool.plist	Today at 8:11 PM	0.00			A 000 N O
	tech.rocents.plist	Today at 8:11 PM	000	< rapidrespo	onsetest 📃	
	tech.rocmail.plist	Today at 8:11 PM	Favorites	Name		A Date Modified
	tech.rocmin.plist	Today at 8:11 PM Today at 8:11 PM	AirDrop	Indiffe		 Date Modified
	tech.rocrinfo.plist tech.roclogs.plist	Today at 8:11 PM	MIDIOP			
	tech.rocent.plist	Today at 8:11 PM	🚞 Rocketman			
	us.zoomnfig.plist	Today at 8:11PM	🛅 Client Onbo			
	u3.200mmg.pilst	loudy at 0.111 M	Sanitized S			
			GitHub			
			ecents			
			Applications			
			🗎 My Drive			
			Desktop			
			Documents			
			Downloads			



Rapid Response

Configuration Options



- Load
- Unload
- Delete
- Frequency
 - Once Per Computer
 - Hourly / Daily / Weekly / Monthly
- ommand
 - Any Shell Command

Rapid Response EA

- LaunchDaemon Status
 - Watching | Unloaded | Absent | Error
- **PLIST Status**
 - Detected | Undetected | Error
- Last Run Time
- Next Run Time

Additional Tools



Self Service Email

Creates pre-filled email templates



Upload Jamf Logs

Uploads specified logs to file sharing location



Update Computer Info

Updates building and department info



User Privilege Management

Adjusts local user's roles



Reset Jamf Connect Login

Resets to the macOS Login screen



... And Many More

Coming Soon!




rkmn.tech/rcc




WHAT IF I WANT ASS STANCE **& SUPPORT?**





ROCKETMAN ——— COMMAND CENTER 4/0


COMMAND CENTER 400



ROCKETMAN COMMAND CENTER PRO RCC ORIENTATION WITH A JAMF EXPERT

- **PRIORITY SUPPORT**
 - **2 DEVELOPMENT TOKENS 2 HOURS OF JAMF SUPPORT DISCOUNTED HEALTH CHECK**

- **DISCOUNT ON ALL ROCKETMAN SERVICES**
- **RCC PRO APPLICATION**





ROCKETMAN.TECH/COMMAND-CENTER



RCC: RKMN.TECH/RCC PRO: ROCKETMAN.TECH/COMMAND-CENTER

QUESTIONS?